## NSN 5999-01-267-9753



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-267-9753 **Body Style:** Rectangular Frequency Rating: Not rated **Body Length:** 0.800 inches **Body Width:** 0.400 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 0.600 inches **Longest Vertical Distance Between Mounting Centers:** 0.300 inches **Operating Tempurature Range:** Not rated **Inclosure Type: Encased Mounting Facility Quantity: Voltage Rating:** 5.000 volts **Material And Location:** Brass terminal err-100 err-100 Input Impedance Rating: Not rated **Output Impedance Rating:** Not rated Frequency Bandwidth: Not rated **Body Depth:** 0.250 inches **Mounting Facility:** Pin **Mounting Provision Arrangement Style:** 

Four position rectangular **Attenuation In Decibels:** Not rated **Signal Delay Method:** 

Lumped constant

**Section Delay Time:** 

225.000 nanoseconds single section

## NSN 5999-01-267-9753

Delay Line - Page 2 of 2



Delay Time variation Per Deg Ceisius:
Not rated
Pulse Rise Time Rating:
8.0 nanoseconds
Terminal Type And Quantity:
4 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

**Fiig:** A32100