

View Online at <https://aerobasegroup.com/nsn/5999-01-276-0609>

**Cross Sectional Shape:**

Emi

**Hole Diameter:**

Between 0.110 inches and 0.130 inches

**Overall Length:**

Between 1.508 inches and 1.524 inches

**Overall Width:**

Between 1.508 inches and 1.524 inches

**Aperture Diameter:**

Between 1.312 inches and 1.338 inches

**Outside Corner Radius:**

Between 0.162 inches and 0.182 inches

**Center To Center Distance Between Bolt Holes Along Width:**

Between 1.130 inches and 1.150 inches

**Center To Center Distance Between Bolt Holes Along Length:**

Between 1.130 inches and 1.150 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

Between 0.179 inches and 0.197 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

Between 0.179 inches and 0.197 inches

**Cross-sectional Height:**

Between 0.026 inches and 0.036 inches

**Bolt Hole Quantity:**

4

**Environmental Protection Material Location:**

Throughout rf shielding gasket

**Special Features:**

Rubber imbedded with monel wires per qq-n-281

**Material:**

Rubber environmental seal

**Material Specification:**

Zz-r-765, class 3, grade 30, in compliance mil-hdbk-695c federal specification single material response environmental seal

**Style Designator:**

Non-circular

**Test Data Document:**

81349-mil-c-28840 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:**

81349-mil-c-28840/24 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A032a0