

View Online at <https://aerobasegroup.com/nsn/5999-01-276-0609>

Cross Sectional Shape:

Emi

Hole Diameter:

Between 0.110 inches and 0.130 inches

Overall Length:

Between 1.508 inches and 1.524 inches

Overall Width:

Between 1.508 inches and 1.524 inches

Aperture Diameter:

Between 1.312 inches and 1.338 inches

Outside Corner Radius:

Between 0.162 inches and 0.182 inches

Center To Center Distance Between Bolt Holes Along Width:

Between 1.130 inches and 1.150 inches

Center To Center Distance Between Bolt Holes Along Length:

Between 1.130 inches and 1.150 inches

Outside Edge To Bolt Hole Center Distance Along Width:

Between 0.179 inches and 0.197 inches

Outside Edge To Bolt Hole Center Distance Along Length:

Between 0.179 inches and 0.197 inches

Cross-sectional Height:

Between 0.026 inches and 0.036 inches

Bolt Hole Quantity:

4

Environmental Protection Material Location:

Throughout rf shielding gasket

Special Features:

Rubber imbedded with monel wires per qq-n-281

Material:

Rubber environmental seal

Material Specification:

Zz-r-765, class 3, grade 30, in compliance mil-hdbk-695c federal specification single material response environmental seal

Style Designator:

Non-circular

Test Data Document:

81349-mil-c-28840 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-c-28840/24 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0