

View Online at <https://aerobasegroup.com/nsn/5999-01-278-3549>

Body Style:

Rectangular

Body Length:

0.800 inches

Body Width:

0.400 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

0.600 inches

Longest Vertical Distance Between Mounting Centers:

0.300 inches

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Mounting Facility Quantity:

8

Voltage Rating:

Between 4.750 volts and 5.250 volts

Material And Location:

Plastic, mil-m-14, type sgd-f case

Surface Treatment And Location:

Lead terminal

Body Depth:

0.250 inches

Mounting Facility:

Pin

Mounting Provision Arrangement Style:

Four position rectangular

Signal Delay Method:

Solid state

Delay Time Variation Method:

Tapped

Section Delay Time:

500.000 nanoseconds single section

Segment Quantity Per Section:

5 single section

Segment Delay Time:

100.000 nanoseconds single section all segments

Pulse Rise Time Rating:

4.0 nanoseconds

Terminal Type And Quantity:

8 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100