

View Online at <https://aerobasegroup.com/nsn/5999-01-280-2185>

**Cross Sectional Shape:**

Linked wire and composition

**Hole Diameter:**

Between 0.156 inches and 0.166 inches

**Overall Length:**

Between 14.525 inches and 14.535 inches

**Overall Width:**

Between 4.245 inches and 4.255 inches

**Inside Corner Radius:**

0.250 inches

**Aperture Width:**

Between 3.245 inches and 3.255 inches

**Aperture Length:**

Between 13.525 inches and 13.535 inches

**Outside Corner Bevel Length Along Width:**

Between 0.151 inches and 0.161 inches

**Outside Corner Bevel Length Along Length:**

Between 0.151 inches and 0.161 inches

**Center To Center Distance Between Bolt Holes Along Width:**

Between 2.871 inches and 2.881 inches

**Center To Center Distance Between Bolt Holes Along Length:**

Between 2.323 inches and 2.333 inches

**Cross-sectional Height:**

Between 0.016 inches and 0.024 inches

**Bolt Hole Quantity:**

14

**Environmental Protection Material Location:**

Throughout rf shielding gasket

**Material:**

Rubber chloroprene class cr environmental seal

**Material Specification:**

Mil-r-6855, class 2 military specification single material response environmental seal

**Style Designator:**

Non-circular

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A032a0

**Mil-std (military Standard):**

Mil-r-6855 spec.