

View Online at <https://aerobasegroup.com/nsn/5999-01-280-2185>

Cross Sectional Shape:

Linked wire and composition

Hole Diameter:

Between 0.156 inches and 0.166 inches

Overall Length:

Between 14.525 inches and 14.535 inches

Overall Width:

Between 4.245 inches and 4.255 inches

Inside Corner Radius:

0.250 inches

Aperture Width:

Between 3.245 inches and 3.255 inches

Aperture Length:

Between 13.525 inches and 13.535 inches

Outside Corner Bevel Length Along Width:

Between 0.151 inches and 0.161 inches

Outside Corner Bevel Length Along Length:

Between 0.151 inches and 0.161 inches

Center To Center Distance Between Bolt Holes Along Width:

Between 2.871 inches and 2.881 inches

Center To Center Distance Between Bolt Holes Along Length:

Between 2.323 inches and 2.333 inches

Cross-sectional Height:

Between 0.016 inches and 0.024 inches

Bolt Hole Quantity:

14

Environmental Protection Material Location:

Throughout rf shielding gasket

Material:

Rubber chloroprene class cr environmental seal

Material Specification:

Mil-r-6855, class 2 military specification single material response environmental seal

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A032a0

Mil-std (military Standard):

Mil-r-6855 spec.