

View Online at <https://aerobasegroup.com/nsn/5999-01-297-5910>

**Cross Sectional Shape:**

Emi hollow

**Hole Diameter:**

Between 0.098 inches and 0.106 inches

**Overall Length:**

19.240 inches

**Temperature Rating:**

-55.0 degrees celsius and 125.0 degrees celsius

**Overall Width:**

7.460 inches

**Inside Corner Radius:**

0.060 inches

**Aperture Width:**

5.960 inches

**Aperture Length:**

17.740 inches

**Center To Center Distance Between Bolt Holes Along Width:**

2.500 inches

**Center To Center Distance Between Bolt Holes Along Length:**

2.173 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

0.464 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

0.464 inches

**Cross Section Inside Diameter:**

Between 0.070 inches and 0.090 inches

**Cross Section Outside Diameter:**

Between 0.190 inches and 0.210 inches

**Bolt Hole Quantity:**

24

**End Application:**

1440-01-087-9844 launching station guided missile semitrailer mounted

**Material:**

Rubber silicone class q environmental seal

**Material Specification:**

Qq-a-250/11, t6 federal specification single material response stop

**Surface Treatment:**

Silver emi/rfi conductor

**Surface Treatment Specification:**

Mil-c-5541, cl 1a or cl 3 military specification single treatment response stop

**Style Designator:**

Non-circular

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A032a0

**Mil-std (military Standard):**

Mil-c-5541 spec.