## NSN 5999-01-304-8964

Electronic Shielding Gasket - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5999-01-304-8964

View Online at https://aerobasegroup.com/nsn/5999-01-304-8964
Cross Sectional Shape:
Emi
Hole Diameter:
Between 0.137 inches and 0.157 inches
Overall Length:
Between 1.168 inches and 1.208 inches
Overall Width:
Between 1.168 inches and 1.208 inches
Aperture Diameter:
Between 1.022 inches and 1.052 inches
Outside Corner Radius:
0.110 inches
Center To Center Distance Between Bolt Holes Along Width:
Between 0.896 inches and 0.916 inches
Center To Center Distance Between Bolt Holes Along Length:
Between 0.896 inches and 0.916 inches
Outside Edge To Bolt Hole Center Distance Along Width:
0.142 inches
Outside Edge To Bolt Hole Center Distance Along Length:
0.142 inches
Cross-sectional Height:
Between 0.029 inches and 0.039 inches
Bolt Hole Quantity:
4
Environmental Protection Material Location:
Throughout rf shielding gasket
Material:
Stainless steel emi/rfi conductor
Material Specification:
Zz-r-765 federal specification single material response environmental seal or mil-s-23586, type 1, class 2, grade a military specification single
material response environmental seal
Style Designator:
Non-circular
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:
A032a0
Mil-std (military Standard):

Mil-s-23586 spec.