

View Online at <https://aerobasegroup.com/nsn/5999-01-308-7460>

Cross Sectional Shape:

F80 emi "d"

Overall Length:

Between 1.227 inches and 1.257 inches

Tempurature Rating:

-65.0 degrees celsius and 160.0 degrees celsius

Overall Width:

Between 0.729 inches and 0.759 inches

Outside Corner Radius:

0.064 inches

Aperture Width:

Between 0.485 inches and 0.495 inches

Aperture Length:

Between 0.983 inches and 0.993 inches

Cross-sectional Height:

Between 0.078 inches and 0.088 inches

Edge Radius:

0.015 inches

Environmental Protection Material Location:

Throughout rf shielding gasket

Outside Edge To Inside Edge Smallest Distance Along Width:

Between 0.122 inches and 0.132 inches

Outside Edge To Inside Edge Smallest Distance Along Length:

Between 0.122 inches and 0.132 inches

Material:

Silver emi/rfi conductorrubber fluorosilicone class fq environmental seal

Precious Material And Location:

Emi/rfi conductive particles silver

Precious Material:

Silver

Style Designator:

Non-circular

Test Data Document:

81349-mil-g-83528 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-g-83528/6 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0