Electronic Shielding Gasket - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5999-01-312-0559



Cross Sectional Shape:
Emi
Hole Diameter:
0.200 inches
Overall Length:
Between 17.590 inches and 17.650 inches
Overall Width:
Between 10.970 inches and 11.030 inches
Inside Corner Radius:
Between 0.250 inches and 0.300 inches
Outside Corner Radius:
Between 0.250 inches and 0.300 inches
Aperture Width:
9.462 inches
Aperture Length:
15.808 inches
Center To Center Distance Between Bolt Holes Along Width:
3.250 inches
Center To Center Distance Between Bolt Holes Along Length:
3.000 inches
Outside Edge To Bolt Hole Center Distance Along Width:
0.250 inches
Outside Edge To Bolt Hole Center Distance Along Length:
0.250 inches
Cross-sectional Height:
0.060 inches
Bolt Hole Quantity:
18
End Application:
1430-01-087-6338 engagement cont
Environmental Protection Material Location:
Around rf shielding gasket and around rf shielding gasket aperture
Material:
Steel emi/rfi conductor
Material Specification:
Mil-r-6855, class ii, grade 40 military specification single material response environmental seal
Surface Treatment:
Copper emi/rfi conductor and tin emi/rfi conductor
Style Designator:
Non-circular
Shelf Life:

N/a

NSN 5999-01-312-0559

Electronic Shielding Gasket - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-6855 spec.