## NSN 5999-01-319-7314

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-319-7314

view offilite at https://aerobasegroup.com/nsi//0595-01-015-7014
Cross Sectional Shape:
Metal and synthetic rubber
Hole Diameter:
0.156 inches
Overall Length:
0.875 inches
Tempurature Rating:
-45.0 degrees celsius and 125.0 degrees celsius
Overall Width:
0.875 inches
Aperture Diameter:
0.500 inches
Outside Corner Radius:
0.120 inches
Center To Center Distance Between Bolt Holes Along Width:
0.594 inches
Center To Center Distance Between Bolt Holes Along Length:
0.594 inches
Outside Edge To Bolt Hole Center Distance Along Width:
0.140 inches
Outside Edge To Bolt Hole Center Distance Along Length:
0.140 inches
Cross-sectional Thickness:
0.032 inches
Bolt Hole Quantity:
4
Environmental Protection Material Location:
Throughout rf shielding gasket
Material:
Rubber silicone class q environmental seal
Precious Material And Location:
Emi/rfi conductive particles silver
Precious Material:
Silver
Surface Treatment:
Silver emi/rfi conductor
Style Designator:
Non-circular Section 1. The section
Test Data Document:
81349-mil-g-83528 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-g-83528/4 government specification

## NSN 5999-01-319-7314

Electronic Shielding Gasket - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A032a0