NSN 5999-01-320-5734

Cross Sectional Shape:

Between 0.256 inches and 0.262 inches

Hole Diameter:

Overall Length:

Emi

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-320-5734

Between 4.485 inches and 4.515 inches					
Overall Width:					
Between 2.985 inches and 3.015 inches					
Inside Corner Radius:					
0.047 inches					
Outside Corner Radius:					
0.312 inches					
Aperture Width:					
Between 1.335 inches and 1.345 inches					
Aperture Length:					
Between 2.835 inches and 2.845 inches					
Center To Center Distance Between Bolt Holes Along Width:					
1.156 inches					
Center To Center Distance Between Bolt Holes Along Length:					
1.281 inches					
Outside Edge To Bolt Hole Center Distance Along Width:					
0.672 inches					
Outside Edge To Bolt Hole Center Distance Along Length:					
0.672 inches					
Cross-sectional Height:					
0.187 inches					
Bolt Hole Quantity:					
10					
Environmental Protection Material Location:					
Around rf shielding gasket aperture					
Material:					
Rubber silicone class q environmental seal					
Material Specification:					
Qq-a-250/11, alloy 6061-t651 federal specification single material response emi/rfi conductor					
Surface Treatment:					
Chromate emi/rfi conductor					
Surface Treatment Specification:					
Mil-c-5541, class 1a military specification single treatment response emi/rfi conductor					
Style Designator:					
Non-circular					
Shelf Life:					
N/a					

NSN 5999-01-320-5734

Electronic Shielding Gasket - Page 2 of 2



	- : -	~	NA	
UI	nit	UΤ	Measure:	

--

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-c-5541 spec.