## NSN 5999-01-321-2888

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-321-2888 **Body Style:** Rectangular **Body Length:** 0.800 inches **Body Width:** 0.400 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 0.600 inches **Longest Vertical Distance Between Mounting Centers:** 0.300 inches **Operating Tempurature Range:** +0.0/+85.0 degrees celsius **Inclosure Type:** Encased **Mounting Facility Quantity: Voltage Rating:** Between 4.275 volts and 4.725 volts **Material And Location:** Plastic, mil-m-14, type sdg-f body **Surface Treatment And Location:** Plastic, epoxy body **Body Depth:** 0.250 inches **Mounting Facility:** Pin **Mounting Provision Arrangement Style:** Four position rectangular **Signal Delay Method:** Solid state **Section Delay Time:** 145.500 nanoseconds single section and 154.500 nanoseconds single section **Pulse Rise Time Rating:** 2.0 nanoseconds **Terminal Type And Quantity:** 4 pin Shelf Life: N/a

**Unit Of Measure:** 

## NSN 5999-01-321-2888

Delay Line - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A32100