NSN 5999-01-321-2888

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-321-2888

Body Style:

Rectangular

Body Length:

0.800 inches

Body Width:

0.400 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

0.600 inches

Longest Vertical Distance Between Mounting Centers:

0.300 inches

Operating Tempurature Range:

+0.0/+85.0 degrees celsius

Inclosure Type:

Encased

Mounting Facility Quantity:

4

Voltage Rating:

Between 4.275 volts and 4.725 volts

Material And Location:

Plastic, mil-m-14, type sdg-f body

Surface Treatment And Location:

Plastic, epoxy body

Body Depth:

0.250 inches

Mounting Facility:

Pin

Mounting Provision Arrangement Style:

Four position rectangular

Signal Delay Method:

Solid state

Section Delay Time:

145.500 nanoseconds single section and 154.500 nanoseconds single section

Pulse Rise Time Rating:

2.0 nanoseconds

Terminal Type And Quantity:

4 pin

Shelf Life:

N/a

Unit Of Measure:

NSN 5999-01-321-2888

Delay Line - Page 2 of 2

Demilitarization:

Yes - demil/mli

Fiig:

A32100

