## NSN 5999-01-334-3663

Electronic Shielding Gasket - Page 1 of 1



Cross Sectional Shape:  Emi  Hole Diameter:  Between 0.125 inches and 0.155 inches  Overall Length:  Between 1.485 inches and 1.515 inches  Overall Width:
Hole Diameter: Between 0.125 inches and 0.155 inches  Overall Length: Between 1.485 inches and 1.515 inches  Overall Width:
Between 0.125 inches and 0.155 inches  Overall Length:  Between 1.485 inches and 1.515 inches  Overall Width:
Overall Length:  Between 1.485 inches and 1.515 inches  Overall Width:
Between 1.485 inches and 1.515 inches  Overall Width:
Overall Width:
B
Between 1.485 inches and 1.515 inches
Aperture Diameter:
Between 1.335 inches and 1.365 inches
Center To Center Distance Between Bolt Holes Along Width:
Between 1.125 inches and 1.155 inches
Center To Center Distance Between Bolt Holes Along Length:
Between 1.125 inches and 1.155 inches
Outside Edge To Bolt Hole Center Distance Along Width:
Between 0.165 inches and 0.195 inches
Outside Edge To Bolt Hole Center Distance Along Length:
Between 0.165 inches and 0.195 inches
Cross-sectional Height:
Between 0.016 inches and 0.024 inches
Bolt Hole Quantity:
4
Environmental Protection Material Location:
Throughout rf shielding gasket
Material:
Rubber silicone class q environmental seal
Material Specification:
Ams-3302 national specification single material response environmental seal
Style Designator:
Non-circular
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig:

A032a0