

View Online at <https://aerobasegroup.com/nsn/5999-01-339-2259>

Body Style:

Rectangular

Frequency Rating:

Not rated

Body Length:

0.800 inches

Body Width:

0.325 inches

Individual Section Quantity:

1

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

14

Voltage Rating:

5.500 volts

Material And Location:

Plastic, diallyl phthalate, mil-m-14, type sgd body err-100 err-100 phosphor bronze terminal err-100 err-100

Surface Treatment And Location:

Tin plated terminal

Input Impedance Rating:

100.000 ohms

Output Impedance Rating:

100.000 ohms

Frequency Bandwidth:

Not rated

Body Depth:

0.220 inches

Mounting Facility:

Terminal

Attenuation In Decibels:

Not rated

Signal Delay Method:

Solid state

Delay Time Variation Method:

Tapped

Section Delay Time:

95.000 nanoseconds single section and 105.000 nanoseconds single section

Segment Quantity Per Section:

10 single section

Segment Delay Time:

9.700 nanoseconds single section all segments and 10.300 nanoseconds single section all segments

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

5.0 nanoseconds

Terminal Type And Quantity:

14 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100