

View Online at <https://aerobasegroup.com/nsn/5999-01-339-2259>

**Body Style:**

Rectangular

**Frequency Rating:**

Not rated

**Body Length:**

0.800 inches

**Body Width:**

0.325 inches

**Individual Section Quantity:**

1

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

14

**Voltage Rating:**

5.500 volts

**Material And Location:**

Plastic, diallyl phthalate, mil-m-14, type sgd body err-100 err-100 phosphor bronze terminal err-100 err-100

**Surface Treatment And Location:**

Tin plated terminal

**Input Impedance Rating:**

100.000 ohms

**Output Impedance Rating:**

100.000 ohms

**Frequency Bandwidth:**

Not rated

**Body Depth:**

0.220 inches

**Mounting Facility:**

Terminal

**Attenuation In Decibels:**

Not rated

**Signal Delay Method:**

Solid state

**Delay Time Variation Method:**

Tapped

**Section Delay Time:**

95.000 nanoseconds single section and 105.000 nanoseconds single section

**Segment Quantity Per Section:**

10 single section

**Segment Delay Time:**

9.700 nanoseconds single section all segments and 10.300 nanoseconds single section all segments

**Delay Time Variation Per Deg Celsius:**

Not rated

**Pulse Rise Time Rating:**

5.0 nanoseconds

**Terminal Type And Quantity:**

14 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A32100