NSN 5999-01-340-8604

Cross Sectional Shape:

Hole Diameter:

Emi

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-340-8604

| 0.110 inches | | | | |
|--|----------------------|--|--|--|
| Overall Length: | | | | |
| 5.380 inches | | | | |
| Overall Width: | | | | |
| 3.260 inches | | | | |
| Inside Corner Radius: | | | | |
| 0.120 inches | | | | |
| Outside Corner Radius: | | | | |
| 0.120 inches | | | | |
| Aperture Width: | | | | |
| 2.800 inches | | | | |
| Aperture Length: | | | | |
| 4.300 inches | | | | |
| Center To Center Distance Between Bolt Holes | s Along Width: | | | |
| 1.375 inches | | | | |
| Center To Center Distance Between Bolt Holes | s Along Length: | | | |
| 1.875 inches | | | | |
| Outside Edge To Bolt Hole Center Distance Al | ong Width: | | | |
| 0.105 inches | | | | |
| Outside Edge To Bolt Hole Center Distance Al | ong Length: | | | |
| 0.680 inches | | | | |
| Cross-sectional Height: | | | | |
| Between 0.055 inches and 0.069 inches | | | | |
| Bolt Hole Quantity: | | | | |
| 10 | | | | |
| End Application: | | | | |
| 1520-01-298-4532 helicopter, util | | | | |
| Environmental Protection Material Location: | | | | |
| Throughout rf shielding gasket | | | | |
| Outside Edge To Inside Edge Smallest Distance | e Along Width: | | | |
| 0.230 inches | | | | |
| Outside Edge To Inside Edge Smallest Distance | e Along Length: | | | |
| 0.820 inches | | | | |
| Material: | | | | |
| Aluminum emi/rfi conductorrubber silicone class of | ı environmental seal | | | |
| Precious Material And Location: | | | | |
| Emi/rfi conductive particles silver | | | | |
| Precious Material: | | | | |
| Silver | | | | |
| | | | | |

NSN 5999-01-340-8604

Electronic Shielding Gasket - Page 2 of 2



| | Trea | |
|--|------|--|
| | | |
| | | |

Silver emi/rfi conductor

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0