## NSN 5999-01-344-4906

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-344-4906
Cross Sectional Shape:
Emi
Hole Diameter:
Between 0.115 inches and 0.135 inches
Overall Length:
Between 1.110 inches and 1.140 inches
Overall Width:
Between 1.110 inches and 1.140 inches
Aperture Diameter:
Between 0.938 inches and 0.958 inches
Outside Corner Radius:
0.109 inches
Center To Center Distance Between Bolt Holes Along Width:
Between 0.896 inches and 0.916 inches
Center To Center Distance Between Bolt Holes Along Length:
Between 0.896 inches and 0.916 inches
Cross-sectional Height:
Between 0.027 inches and 0.037 inches
Bolt Hole Quantity:
4
Environmental Protection Material Location:
Throughout rf shielding gasket
Material:
Copper emi/rfi conductorrubber silicone class q environmental seal
Precious Material And Location:
Emi/rfi conductive particle surfaces silver
Precious Material:
Silver
Surface Treatment:
Silver emi/rfi conductor
Style Designator:
Non-circular Section 1. The section
Test Data Document:
81349-mil-g-83528 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-g-83528/4 government specification
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

## NSN 5999-01-344-4906

Electronic Shielding Gasket - Page 2 of 2



Fiig:

A032a0