Electronic Shielding Gasket - Page 1 of 1

View Online at https://aerobasegroup.com/nsn/5999-01-348-2732



| Cross Sectional Shape:   |
|--|
| Emi  |
| Hole Diameter:   |
| 0.120 inches   |
| Overall Length:  |
| Between 1.079 inches and 1.109 inches  |
| Overall Width:   |
| Between 1.079 inches and 1.109 inches  |
| Aperture Diameter:   |
| Between 0.766 inches and 0.796 inches  |
| Outside Corner Radius:   |
| 0.125 inches   |
| Center To Center Distance Between Bolt Holes Along Width:  |
| Between 0.797 inches and 0.827 inches  |
| Center To Center Distance Between Bolt Holes Along Length:   |
| Between 0.797 inches and 0.827 inches  |
| Outside Edge To Bolt Hole Center Distance Along Width:   |
| 0.282 inches   |
| Outside Edge To Bolt Hole Center Distance Along Length:  |
| 0.282 inches   |
| Cross-sectional Height:  |
| 0.030 inches   |
| Bolt Hole Quantity:  |
| 4  |
| Environmental Protection Material Location:  |
| Throughout rf shielding gasket   |
| Material:  |
| Nickel alloy emi/rfi conductorrubber silicone class q environmental seal   |
| Material Specification:  |
| Qq-n-281 federal specification single material response emi/rfi conductorzz-r-765 federal specification single material response |
| environmental seal   |
| Style Designator:  |
| Non-circular   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |
| No<br>   |
| Fiig:  |
| A032a0   |