Electronic Shielding Gasket - Page 1 of 2



material response

View Online at https://aerobasegroup.com/nsn/5999-01-354-9740

| Cross Sectional | Snape: |
|-------------------|--|
| Emi | |
| Hole Diameter: | |
| Between 0.253 in | hes and 0.262 inches |
| Overall Length: | |
| 18.630 inches | |
| Tempurature Ra | ing: |
| -103.0 degrees c | Isius and 401.0 degrees celsius |
| Overall Width: | |
| 16.630 inches | |
| Aperture Width: | |
| 15.370 inches | |
| Aperture Length | |
| 17.370 inches | |
| Center To Cente | Distance Between Bolt Holes Along Width: |
| 3.000 inches | |
| Center To Cente | Distance Between Bolt Holes Along Length: |
| 3.000 inches | |
| Outside Edge To | Bolt Hole Center Distance Along Width: |
| 0.312 inches | |
| Outside Edge To | Bolt Hole Center Distance Along Length: |
| 0.312 inches | |
| Cross-sectional | leight: |
| Between 0.109 in | thes and 0.157 inches |
| Bolt Hole Quant | y: |
| 24 | |
| Environmental F | rotection Material Location: |
| Throughout rf shi | lding gasket |
| Outside Edge To | Inside Edge Smallest Distance Along Width: |
| 0.630 inches | |
| Outside Edge To | Inside Edge Smallest Distance Along Length: |
| 0.630 inches | |
| Material: | |
| Adhesive backing | nickel alloy 400 emi/rfi conductorrubber silicone class q environmental seal |
| Material Specific | ation: |
| Qq-n-281 federal | specification single material response emi/rfi conductorams-3195 national specification single |
| environmental se | 1 |
| Style Designato | |
| Non-circular | |
| Shelf Life: | |
| N/a | |
| Unit Of Measure | |

NSN 5999-01-354-9740

Electronic Shielding Gasket - Page 2 of 2

Demilitarization:

No

Fiig:

A032a0

