

NSN 5999-01-379-0677 Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-379-0677 **Body Style:** Rectangular **Body Length:** 3.200 inches **Body Width:** 0.800 inches **Individual Section Quantity: Operating Tempurature Range:** +28.0/+80.0 degrees celsius **Mounting Facility Quantity:** 36 **Voltage Rating:** 100.000 volts **Material And Location:** Brass terminal

Surface Treatment And Location:

Gold, mil-g-45204, type 2, class 2 terminal

Input Impedance Rating:

50.000 ohms

Output Impedance Rating:

50.000 ohms

Body Depth:

0.350 inches

Mounting Facility:

Terminal

Signal Delay Method:

Lumped constant

Delay Time Variation Method:

Tapped

Section Delay Time:

15.000 nanoseconds single section

Segment Quantity Per Section:

30 single section

Segment Delay Time:

0.500 nanoseconds single section all segments

Terminal Type And Quantity:

36 pin

Precious Material And Location:

Terminal surfaces gold

Precious Material:

Gold

NSN 5999-01-379-0677

Delay Line - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100