## NSN 5999-01-380-3204

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-380-3204 **Body Style:** Rectangular Frequency Rating: Not rated **Body Length:** 0.780 inches **Body Width:** 0.250 inches **Individual Section Quantity: Operating Tempurature Range:** -55.0/+125.0 degrees celsius Voltage Rating: 5.000 volts **Material And Location:** Plastic case Input Impedance Rating: 50.000 ohms **Output Impedance Rating:** 50.000 ohms **Body Depth:** 0.200 inches **Mounting Facility:** Unthreaded hole **Attenuation In Decibels:** Not rated **Signal Delay Method:** Lumped constant **Delay Time Variation Method:** Tapped **Section Delay Time:** 100.000 nanoseconds single section **Segment Quantity Per Section:** 5 single section **Segment Delay Time:** 20.000 nanoseconds single section all segments **Delay Time Variation Per Deg Celsius:** Not rated **Pulse Rise Time Rating:** 7.0 microseconds

**Terminal Type And Quantity:** 

14 wire leads

## NSN 5999-01-380-3204

Delay Line - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100