# NSN 5999-01-387-5900

Ventilating Radio Frequency/electromagnetic Interference Shielded Panel - Page 1 of 1

View Online at https://aerobasegroup.com/nsn/5999-01-387-5900

# **Overall Length:**

Between 18.660 inches and 18.720 inches

## **Overall Width:**

Between 6.160 inches and 6.220 inches

# **End Application:**

An/sqq-32 uni

## **Special Features:**

Do not paint the mounting surface, including the entire gasket area; body thickness: 0.686 in.Nom; design type: reusable; filtering media design: honey comb; material and document: filtering medium, aluminum alloy mil-c-7438; frame, aluminum alloy qq-a-200/8 or aluminum alloy qq-a-200/9; screening, aluminum alloy qq-a-250/2; surface treatment and document: body, chromate mil-c-5541, class 3 and paint fc 144360 type 1, a, or b color black per 37038 per fed-std 595

### **Precious Material And Location:**

Emi gasket silver

**Precious Material And Weight:** 

# 0.005 silver grains, troy

**Precious Material:** 

Silver

# Test Data Document:

49956-g470762 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### Shelf Life:

N/a

### Unit Of Measure:

---

### Demilitarization:

Yes - demil/mli

### Fiig:

A23900