NSN 5999-01-416-1516

Electronic Shielding Gasket - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5999-01-416-1516

Emi Hole Diameter: 0.140 inches Overall Length: 1.281 inches Overall Width: 1.280 inches Aperture Diameter: 1.090 inches Cross-sectional Height: Between 0.016 inches and 0.024 inches Bolt Hole Quantity: 4 Environmental Protection Material Location: Throughout rf shielding gasket Material: Silicone emi/fil conductor and aluminum emi/rfi conductor Material Specification: Ama-s300 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	One as Continued Observer
Hole Diameter: 0.140 inches Overall Length: 1.281 inches Overall Width: 1.280 inches Aperture Diameter: 1.090 inches Cross-sectional Height: Between 0.016 inches and 0.024 inches Bolt Hole Quantity: 4 Environmental Protection Material Location: Throughout if shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig:	Cross Sectional Shape:
Ouerall Length: 1.281 inches Overall Width: 1.280 inches Aperture Diameter: 1.090 inches Cross-sectional Height: Between 0.016 inches and 0.024 inches Bolt Hole Quantity: 4 Environmental Protection Material Location: Throughout of shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	
Overall Length: 1.281 inches Overall Width: 1.280 inches Aperture Diameter: 1.090 inches Cross-sectional Height: Between 0.016 inches and 0.024 inches Bolt Hole Quantity: 4 Environmental Protection Material Location: Throughout of shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Arns-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Sheef Life: N/a Unit Of Measure: Demilitarization: No Fig:	
1.281 inches Overall Width: 1.280 inches Aperture Diameter: 1.090 inches Cross-sectional Height: Between 0.016 inches and 0.024 inches Bolt Hole Quantity: 4 Environmental Protection Material Location: Throughout of shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig:	0.140 inches
Overall Width: 1.280 inches Aperture Diameter: 1.090 inches Cross-sectional Height: Between 0.016 inches and 0.024 inches Bolt Hole Quantity: 4 Environmental Protection Material Location: Throughout if shielding gasket Material: Silicone emi/fil conductor and aluminum emi/fil conductor Material Specification: Ams-3302 assn standard single material response emi/fil conductor and qq-a-430 federal specification single material response emi/fil conductor or ams-4182 assn standard single material response emi/fil conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Overall Length:
1.280 inches Aperture Diameter: 1.090 inches Cross-sectional Height: Between 0.016 inches and 0.024 inches Bolt Hole Quantity: 4 Environmental Protection Material Location: Throughout rf shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Arns-3302 assn standard single material response emi/rfi conductor ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	1.281 inches
Aperture Diameter: 1.090 inches Cross-sectional Height: Between 0.016 inches and 0.024 inches Bott Hole Quantity: 4 Environmental Protection Material Location: Throughout rf shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Overall Width:
1.090 inches Cross-sectional Height: Between 0.016 inches and 0.024 inches Bolt Hole Quantity: 4 Environmental Protection Material Location: Throughout rf shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	1.280 inches
Cross-sectional Height: Between 0.016 inches and 0.024 inches Bolt Hole Quantity: 4 Environmental Protection Material Location: Throughout rf shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Aperture Diameter:
Between 0.016 inches and 0.024 inches Bolt Hole Quantity: 4 Environmental Protection Material Location: Throughout rf shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	1.090 inches
Bolt Hole Quantity: 4 Environmental Protection Material Location: Throughout rf shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Cross-sectional Height:
Environmental Protection Material Location: Throughout rf shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fitig:	Between 0.016 inches and 0.024 inches
Environmental Protection Material Location: Throughout rf shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Bolt Hole Quantity:
Throughout rf shielding gasket Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	4
Material: Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Environmental Protection Material Location:
Silicone emi/rfi conductor and aluminum emi/rfi conductor Material Specification: Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Throughout rf shielding gasket
Material Specification: Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Material:
Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Silicone emi/rfi conductor and aluminum emi/rfi conductor
conductor or ams-4182 assn standard single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Material Specification:
Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Ams-3302 assn standard single material response emi/rfi conductor and qq-a-430 federal specification single material response emi/rfi
Non-circular Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	conductor or ams-4182 assn standard single material response emi/rfi conductor
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Style Designator:
N/a Unit Of Measure: Demilitarization: No Fiig:	Non-circular Section 1. Section 1
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
	Fiig:
A032a0	A032a0