## NSN 5999-01-450-9775

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-450-9775
Cross Sectional Shape:
Emi
Hole Diameter:
Between 0.120 inches and 0.171 inches
Overall Length:
Between 0.797 inches and 0.827 inches
Tempurature Rating:
-60.0 degrees celsius and 200.0 degrees celsius
Overall Width:
Between 0.797 inches and 0.827 inches
Aperture Diameter:
Between 0.485 inches and 0.515 inches
Outside Corner Radius:
Between 0.094 inches and 0.124 inches
Center To Center Distance Between Bolt Holes Along Width:
Between 0.579 inches and 0.609 inches
Center To Center Distance Between Bolt Holes Along Length:
Between 0.579 inches and 0.609 inches
Outside Edge To Bolt Hole Center Distance Along Width:
Between 0.203 inches and 0.233 inches
Outside Edge To Bolt Hole Center Distance Along Length:
Between 0.203 inches and 0.233 inches
Cross-sectional Height:
Between 0.020 inches and 0.040 inches
Bolt Hole Quantity:
4
Environmental Protection Material Location:
Throughout rf shielding gasket
Special Features:
Hardness 63 min to 77 maximum durometer, shore a
Material:
Silver emi/rfi conductor
Precious Material And Location:
Emi/rfi conductive particles silver
Precious Material:
Silver
Style Designator:
Non-circular
Shelf Life:
N/a

--

**Unit Of Measure:** 

## NSN 5999-01-450-9775

Electronic Shielding Gasket - Page 2 of 2



Demilitarization:

No

Fiig:

A032a0