NSN 5999-01-544-8668

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-544-8668

View Offline at https://acrobasegroup.com/nsi//0333-01-044-0000
Cross Sectional Shape:
Wire and composition
Hole Diameter:
0.218 inches
Overall Length:
15.880 inches
Overall Width:
6.900 inches
Outside Corner Radius:
0.120 inches
Aperture Width:
5.900 inches
Aperture Length:
14.630 inches
Center To Center Distance Between Bolt Holes Along Width:
6.400 inches
Center To Center Distance Between Bolt Holes Along Length:
3.765 inches
Outside Edge To Bolt Hole Center Distance Along Width:
0.250 inches
Outside Edge To Bolt Hole Center Distance Along Length:
0.406 inches
Cross-sectional Height:
0.062 inches
Bolt Hole Quantity:
10
End Application:
250 vdc charging bus panel assembly
Environmental Protection Material Location:
Throughout sealing gasket
Outside Edge To Inside Edge Smallest Distance Along Width:
1.000 inches
Outside Edge To Inside Edge Smallest Distance Along Length:
1.250 inches

Product Name:

Gasket, switch panel left

Special Features:

One corner along the width configured per nav sea dwg 6393237; acrylic psa one side

Material:

Rubber silicone class q environmental seal

Material Specification:

Zz-r-765, class 3, grade 30 military standard single material response environmental seal

NSN 5999-01-544-8668

Electronic Shielding Gasket - Page 2 of 2



Style Designator:
Non-circular
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A032a0