NSN 5999-01-554-6252

Non-circular

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-554-6252

| Cross Sectional Shape: |
|---|
| Emi |
| Hole Diameter: |
| 0.187 inches |
| Overall Length: |
| 6.875 inches |
| Overall Width: |
| 3.375 inches |
| Inside Corner Radius: |
| 0.160 inches |
| Aperture Width: |
| 2.985 inches |
| Aperture Length: |
| 6.485 inches |
| Center To Center Distance Between Bolt Holes Along Width: |
| 2.000 inches |
| Center To Center Distance Between Bolt Holes Along Length: |
| 2.460 inches |
| Outside Edge To Bolt Hole Center Distance Along Width: |
| 0.680 inches |
| Outside Edge To Bolt Hole Center Distance Along Length: |
| 0.200 inches |
| Cross-sectional Height: |
| 0.032 inches |
| Bolt Hole Quantity: |
| 8 |
| End Application: |
| An/spn-4 (v) |
| Outside Edge To Inside Edge Smallest Distance Along Width: |
| 0.375 inches |
| Outside Edge To Inside Edge Smallest Distance Along Length: |
| 0.375 inches |
| Special Features: |
| Outside 45 degree corner bevel on one side is .38 inch and .12 inch on the opposite side along the length; psa one side |
| Material: |
| Silver emi/rfi conductor and aluminum alloy emi/rfi conductor |
| Material Specification: |
| Chomerics (18565) cho-seal 1285psa mfr ref single material response |
| Precious Material: |
| Silver |
| Style Designator: |

NSN 5999-01-554-6252

Electronic Shielding Gasket - Page 2 of 2



| _ | | | | | |
|----|----|----|-----|------|--|
| CI | ~~ | 14 | I i | ife: | |
| J. | 16 | | | HE. | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0