NSN 5999-01-560-2283

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-560-2283
Cross Sectional Shape:
Metal and nonmetallic materials
Hole Diameter:
Between 0.110 inches and 0.130 inches
Overall Length:
Between 1.198 inches and 1.228 inches
Overall Width:
Between 0.579 inches and 0.609 inches
Inside Corner Radius:
0.100 inches
Outside Corner Radius:
0.050 inches
Center To Center Distance Between Bolt Holes Along Length:
Between 0.974 inches and 0.994 inches
Cross-sectional Thickness:
Between 0.027 inches and 0.035 inches
Bolt Hole Quantity:
2
End Application:
Rms sea type ii module
Environmental Protection Material Location:
Throughout rf shielding gasket
Product Name:
D-subminiature rectangular gasket
Special Features:
Aperture major length .697 inches by .360 inches widex 10 degrees angle
Material:
Rubber fluorosilicone class fq environmental seal
Material Specification:
Cho-seal 1298 mfr ref single material response
Precious Material:
Silver
Reference Data And Literature:
Chomerics conductive elastomer connector gaskets page 75 table 6
Style Designator:
Non-circular
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 5999-01-560-2283

Electronic Shielding Gasket - Page 2 of 2



Fiig:

A032a0