## NSN 6060-01-383-3762

Fiber Optic Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6060-01-383-3762

| Body Style:   |
|---|
| Straight shape, fiber optic w/flange  |
| Overall Length:   |
| 1.990 inches  |
| Overall Height:   |
| 1.158 inches  |
| Overall Width:  |
| 1.158 inches  |
| Unthreaded Mounting Hole Diameter:  |
| 1.085 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To Height:   |
| 0.843 inches  |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:   |
| 0.843 inches  |
| Threaded Device Type:   |
| Back shell  |
| Mating End Quantity:  |
| 1   |
| Contact Position Arrangement Style:   |
| Tc-8 single mating end  |
| Polarization Method:  |
| Keyway or multiple keyway   |
| Insert Position In Deg:   |
| 0.0   |
| Shell Type:   |
| Solid   |
| Connector Locking Method:   |
| Externally threaded coupling nut  |
| Operating Tempurature Rating:   |
| Between -54.0 degrees celsius and 65.0 degrees celsius  |
| Shell Material:   |
| Stainless steel   |
| Optical Fiber Attachment Method:  |
| Friction single mating end single contact grouping  |
| Test Data Document:   |
| 81349-mil-c-28876c specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain           |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).                             |
| Specification Data:   |
| 81349-mil-c-28876/1d government specification   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

--

## NSN 6060-01-383-3762

Fiber Optic Receptacle Connector - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A039b0