## NSN 6060-01-383-3762

Fiber Optic Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6060-01-383-3762

Body Style:
Straight shape, fiber optic w/flange
Overall Length:
1.990 inches
Overall Height:
1.158 inches
Overall Width:
1.158 inches
Unthreaded Mounting Hole Diameter:
1.085 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
0.843 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.843 inches
Threaded Device Type:
Back shell
Mating End Quantity:
1
Contact Position Arrangement Style:
Tc-8 single mating end
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0
Shell Type:
Solid
Connector Locking Method:
Externally threaded coupling nut
Operating Tempurature Rating:
Between -54.0 degrees celsius and 65.0 degrees celsius
Shell Material:
Stainless steel
Optical Fiber Attachment Method:
Friction single mating end single contact grouping
Test Data Document:
81349-mil-c-28876c specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-c-28876/1d government specification
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 6060-01-383-3762

Fiber Optic Receptacle Connector - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A039b0