NSN 6060-01-383-5578

Fiber Optic Contact - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6060-01-383-5578

Overall Length: 0.850 inches Overall Diameter: Between 0.122 inches and 0.142 inches Retention Groove Diameter: Between 0.117 inches and 0.121 inches Mounting Method: Clip
Overall Diameter: Between 0.122 inches and 0.142 inches Retention Groove Diameter: Between 0.117 inches and 0.121 inches Mounting Method:
Between 0.122 inches and 0.142 inches Retention Groove Diameter: Between 0.117 inches and 0.121 inches Mounting Method:
Retention Groove Diameter: Between 0.117 inches and 0.121 inches Mounting Method:
Between 0.117 inches and 0.121 inches Mounting Method:
Mounting Method:
-
Clip
Optical Fiber Attachment Method:
Crimp
Optical Conductor Diameter Accommodated:
Between 0.083 inches and 0.084 inches
Material:
Stainless steel body and contact
Surface Treatment:
Passivate body and contact
Style Designator:
Cylindrical shape
Test Data Document:
81349-mil-t-29504 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-t-29504/01 government specification
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
Yes - demil/mli
Fiig:
A222a0