NSN 6105-00-090-2400

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-090-2400 **Overall Height:** 23.125 inches **Overall Length:** 28.500 inches **Overall Width:** 22.906 inches **Keyway Width:** 0.5000 inches single end **Keyway Depth:** 0.2500 inches single end **Shaft Diameter:** 2.1245 inches single end **Keyway Length:** 1.6250 inches single end **Shaft Rotation Direction:** Clockwise single end or counterclockwise single end **Duty Cycle:** Intermittent Inclosure Feature: Dripproof protected-15 deg Specific Use: Cargo hoist hydraulic pump Winding Type: Induction-squirrel cage **Mounting Method:** Fixed base **Mounting Facility Type And Quantity:** 4 unthreaded hole Time Interval: 30.0 minutes on **Cooling Method:** Self-ventilated **Keyway Center To Shaft End Distance:** 0.9380 inches single end **Current Rating Method:** Load **Inclosure Specificationification:** Mil-std-108 **Bearing Type:** Annular ball **Features Provided:** Horizontal mounting position

NSN 6105-00-090-2400Alternating Current Motor - Page 2 of 2



Frame Size Designation:
405
Power Rating:
40.0000 horsepower output
Length Of Shaft From Housing:
2.250 inches single end
Shaft Center To Mounting Surface Distance:
10.000 inches single end
Center To Center Distance Between Mounting Facilities Parallel To Length:
13.750 inches
Tempurature Rating:
40.0 operating degrees celsius
Rotor Speed Rating In Rpm:
1175.0 single no load and 1200.0 single full load
Center To Center Distance Between Mounting Facilities Parallel To Width:
16.000 inches
Current Rating In Amps:
50.000 single input
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A10 single style single end
Phase:
Three input
Frequency In Hertz:
60.0 input
Terminal Type And Quantity:
3 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A271a0
Mil-std (military Standard):
Mil-std-108 spec.