NSN 6105-00-211-4577

Direct Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-211-4577

Overall Length:				
7.000 inches				
Overall Width:				
4.000 inches				
Shaft Diameter:				
0.1880 inches identical ends				
Flatted Portion Length:				
0.2500 inches identical ends				
Shaft Rotation Direction:				
Clockwise identical ends or counterclockwise identical ends				
Duty Cycle:				
Continuous				
Inclosure Feature:				
Totally enclosed				
Specific Use:				
Wiper windshield				
Width Across Flats:				
0.125 inches identical ends				
Winding Type:				
Permanent magnet				
Mounting Method:				
Mounting Method: Clamp ring				
-				
Clamp ring				
Clamp ring Mounting Facility Type And Quantity:				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method:				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method: Ambient air				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method: Ambient air Current Rating Method:				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method: Ambient air Current Rating Method: Load				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method: Ambient air Current Rating Method: Load Inclosure Specificationification:				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method: Ambient air Current Rating Method: Load Inclosure Specificationification: Commercial				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method: Ambient air Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided:				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method: Ambient air Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method: Ambient air Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating:				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method: Ambient air Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 0.1666 horsepower output				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method: Ambient air Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 0.1666 horsepower output Length Of Shaft From Housing:				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method: Ambient air Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 0.1666 horsepower output Length Of Shaft From Housing: 0.250 inches second end				
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Cooling Method: Ambient air Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 0.1666 horsepower output Length Of Shaft From Housing: 0.250 inches second end Rotor Speed Rating In Rpm:				

27.0 line to neutral single input

Connection Type And Voltage Rating In Volts:

NSN 6105-00-211-4577

Direct Current Motor - Page 2 of 2



	cteristic

A15 single style identical ends

Terminal Type And Quantity:

2 connector, plug and 1 solder lug and 1 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A271a0