## NSN 6105-00-229-6846

Direct Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-229-6846

Overall Height:
3.625 inches
Overall Length:
5.078 inches
Overall Width:
3.650 inches
Shaft Diameter:
0.302 inches single end and 0.303 inches single end
Flatted Portion Length:
0.2500 inches single end
Flat Depth:
0.021 inches single end and 0.022 inches single end
Shaft Rotation Direction:
Clockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
Totally enclosed
Winding Type:
Series wound
Mounting Method:
Face
Mounting Facility Type And Quantity:
4 threaded hole
4 threaded hole  Cooling Method:
Cooling Method:
Cooling Method: Nonventilated
Cooling Method: Nonventilated Current Rating Method:
Cooling Method: Nonventilated Current Rating Method: Load
Cooling Method: Nonventilated Current Rating Method: Load Inclosure Specificationification:
Cooling Method: Nonventilated Current Rating Method: Load Inclosure Specificationification: Commercial
Cooling Method: Nonventilated Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided:
Cooling Method: Nonventilated Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Frame electrically grounded and horizontal mounting position and vertical mounting position
Cooling Method: Nonventilated Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Frame electrically grounded and horizontal mounting position and vertical mounting position Length Of Shaft From Housing:
Cooling Method: Nonventilated Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Frame electrically grounded and horizontal mounting position and vertical mounting position Length Of Shaft From Housing: 0.656 inches single end
Cooling Method: Nonventilated Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Frame electrically grounded and horizontal mounting position and vertical mounting position Length Of Shaft From Housing: 0.656 inches single end Mounting Facility Circle Diameter:
Cooling Method: Nonventilated Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Frame electrically grounded and horizontal mounting position and vertical mounting position Length Of Shaft From Housing: 0.656 inches single end Mounting Facility Circle Diameter: 2.562 inches
Cooling Method: Nonventilated Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Frame electrically grounded and horizontal mounting position and vertical mounting position Length Of Shaft From Housing: 0.656 inches single end Mounting Facility Circle Diameter: 2.562 inches Rotor Speed Rating In Rpm:
Cooling Method: Nonventilated Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Frame electrically grounded and horizontal mounting position and vertical mounting position Length Of Shaft From Housing: 0.656 inches single end Mounting Facility Circle Diameter: 2.562 inches Rotor Speed Rating In Rpm: 7500.0 single full load
Cooling Method: Nonventilated Current Rating Method: Load Inclosure Specificationification: Commercial Features Provided: Frame electrically grounded and horizontal mounting position and vertical mounting position Length Of Shaft From Housing: 0.656 inches single end Mounting Facility Circle Diameter: 2.562 inches Rotor Speed Rating In Rpm: 7500.0 single full load Current Rating In Amps:

## NSN 6105-00-229-6846

Direct Current Motor - Page 2 of 2



_			•		
•	h att	-nd	('ha	ract	eristic

A5 single style single end

**Terminal Type And Quantity:** 

1 connector, plug

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A271a0