NSN 6105-00-241-5156

Direct Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-241-5156

Overall Height:
5.062 inches
Overall Length:
7.906 inches
Overall Width:
6.000 inches
Hole Diameter:
0.1880 inches single end
Hole Depth:
0.3752 inches single end
Shaft Diameter:
0.374 inches single end and 0.375 inches single end
Hole Center To Shaft End Distance:
0.250 inches single end
Shaft Rotation Direction:
Clockwise single end or counterclockwise single end
Duty Cycle:
Intermittent
Inclosure Feature:
Open
Winding Type:
Series wound
Mounting Method:
Adjustable base
Mounting Facility Type And Quantity:
4 slot
Cooling Method:
Self-ventilated
Current Rating Method:
Load
Inclosure Specificationification:
Mil-std-108
Features Provided:
Vertical mounting position
Power Rating:
0.0500 horsepower output
Length Of Shaft From Housing:
0.875 inches single end
Shaft Center To Mounting Surface Distance:
2.625 inches single end
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.688 inches

NSN 6105-00-241-5156

Direct Current Motor - Page 2 of 2



Tempurature Rating:

40.0 ambient degrees celsius and 50.0 operating degrees celsius

Rotor Speed Rating In Rpm:

1600.0 single full load

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.500 inches

Current Rating In Amps:

0.680 single input

Connection Type And Voltage Rating In Volts:

115.0 line to neutral single input

Shaft End Characteristic:

A13 single style single end

Test Data Document:

81349-mil-m-2511 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

Demilitarization: No Fiig: A271a0 Mil-std (military Standard): Mil-std-108 spec.