## NSN 6105-00-295-1589

Direct Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-295-1589

Overall Height:
14.500 inches
Overall Length:
21.563 inches
Overall Width:
11.750 inches
Thread Length:
0.6880 inches single end
Step Diameter:
0.5005 inches single end
Step Length:
0.7500 inches single end
Keyway Width:
0.1250 inches single end
Keyway Depth:
0.0620 inches single end
Shaft Diameter:
0.8750 inches single end
Keyway Length:
0.6880 inches single end
Shaft Rotation Direction:
Clockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
Dripproof-15 deg
Winding Type:
Shunt wound w/commutating poles-stabilizing windings
Mounting Method:
Face
Mounting Facility Type And Quantity:
4 threaded hole
Cooling Method:
Ambient air
Current Rating Method:
Load
Inclosure Specificationification:
Mil-std-108
Features Provided:
Horizontal mounting position
Frame Size Designation:
203cvz

## **NSN 6105-00-295-1589**Direct Current Motor - Page 2 of 2



Power Rating:
1.2500 horsepower output
Thread Size:
0.500 inches single end
Length Of Shaft From Housing:
6.938 inches single end
Tempurature Rating:
50.0 operating degrees celsius
Mounting Facility Circle Diameter:
7.250 inches
Rotor Speed Rating In Rpm:
3500.0 single full load
Current Rating In Amps:
10.100 single input
Connection Type And Voltage Rating In Volts:
120.0 line to neutral single input
Shaft End Characteristic:
A2 first style single end and a9 second style single end and a12 third style single end
Thread Series Designator:
Unf single end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A271a0
Mil-std (military Standard):
Mil-std-108 spec.