NSN 6105-00-295-2009

Direct Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-295-2009

Overall Height:
12.562 inches
Overall Length:
16.626 inches
Overall Width:
9.906 inches
Shaft Diameter:
0.7500 inches single end
Shaft Rotation Direction:
Clockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
Open
Winding Type:
Compound wound
Mounting Method:
Fixed base
Mounting Facility Type And Quantity:
4 unthreaded hole
Current Rating Method:
Load
Inclosure Specificationification:
Nema
Features Provided:
Vertical mounting position and horizontal mounting position
Power Rating:
Tower Nating.
1.0000 horsepower output
1.0000 horsepower output
1.0000 horsepower output Length Of Shaft From Housing:
1.0000 horsepower output Length Of Shaft From Housing: 2.438 inches single end
1.0000 horsepower output Length Of Shaft From Housing: 2.438 inches single end Shaft Center To Mounting Surface Distance:
1.0000 horsepower output Length Of Shaft From Housing: 2.438 inches single end Shaft Center To Mounting Surface Distance: 5.000 inches single end
1.0000 horsepower output Length Of Shaft From Housing: 2.438 inches single end Shaft Center To Mounting Surface Distance: 5.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length:
1.0000 horsepower output Length Of Shaft From Housing: 2.438 inches single end Shaft Center To Mounting Surface Distance: 5.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 5.500 inches
1.0000 horsepower output Length Of Shaft From Housing: 2.438 inches single end Shaft Center To Mounting Surface Distance: 5.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 5.500 inches Tempurature Rating:
1.0000 horsepower output Length Of Shaft From Housing: 2.438 inches single end Shaft Center To Mounting Surface Distance: 5.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 5.500 inches Tempurature Rating: 40.0 ambient degrees celsius and 50.0 operating degrees celsius
1.0000 horsepower output Length Of Shaft From Housing: 2.438 inches single end Shaft Center To Mounting Surface Distance: 5.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 5.500 inches Tempurature Rating: 40.0 ambient degrees celsius and 50.0 operating degrees celsius Rotor Speed Rating In Rpm:
1.0000 horsepower output Length Of Shaft From Housing: 2.438 inches single end Shaft Center To Mounting Surface Distance: 5.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 5.500 inches Tempurature Rating: 40.0 ambient degrees celsius and 50.0 operating degrees celsius Rotor Speed Rating In Rpm: 1750.0 single full load
1.0000 horsepower output Length Of Shaft From Housing: 2.438 inches single end Shaft Center To Mounting Surface Distance: 5.000 inches single end Center To Center Distance Between Mounting Facilities Parallel To Length: 5.500 inches Tempurature Rating: 40.0 ambient degrees celsius and 50.0 operating degrees celsius Rotor Speed Rating In Rpm: 1750.0 single full load Center To Center Distance Between Mounting Facilities Parallel To Width:

NSN 6105-00-295-2009

Direct Current Motor - Page 2 of 2



Connection Type And Voltage Rating In Volts:

230.0 line to neutral single input

Shaft End Characteristic:

A9 single style single end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A271a0