NSN 6105-00-331-2181

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-331-2181

Overall Height:
1.874 inches
Overall Length:
2.438 inches
Overall Width:
1.750 inches
Shaft Diameter:
0.110 inches single end
Flatted Portion Length:
0.312 inches single end
Flat Depth:
0.010 inches single end
Shaft Rotation Direction:
Counterclockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
Totally enclosed
Winding Type:
Induction-split phase
Mounting Method:
Mounting Method: Face
-
Face
Face Mounting Facility Type And Quantity:
Face Mounting Facility Type And Quantity: 3 threaded hole
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method:
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method: Nonventilated
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method: Nonventilated Torque Rating And Type:
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method: Nonventilated Torque Rating And Type: 0.4 inch-ounces running
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method: Nonventilated Torque Rating And Type: 0.4 inch-ounces running Inclosure Specificationification:
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method: Nonventilated Torque Rating And Type: 0.4 inch-ounces running Inclosure Specificationification: Commercial
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method: Nonventilated Torque Rating And Type: 0.4 inch-ounces running Inclosure Specificationification: Commercial Features Provided:
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method: Nonventilated Torque Rating And Type: 0.4 inch-ounces running Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method: Nonventilated Torque Rating And Type: 0.4 inch-ounces running Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating:
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method: Nonventilated Torque Rating And Type: 0.4 inch-ounces running Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 32.0 watts output
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method: Nonventilated Torque Rating And Type: 0.4 inch-ounces running Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 32.0 watts output Length Of Shaft From Housing:
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method: Nonventilated Torque Rating And Type: 0.4 inch-ounces running Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 32.0 watts output Length Of Shaft From Housing: 0.344 inches single end
Face Mounting Facility Type And Quantity: 3 threaded hole Cooling Method: Nonventilated Torque Rating And Type: 0.4 inch-ounces running Inclosure Specificationification: Commercial Features Provided: Horizontal mounting position and vertical mounting position Power Rating: 32.0 watts output Length Of Shaft From Housing: 0.344 inches single end Tempurature Rating:

8000.0 single no load

Rotor Speed Rating In Rpm:

NSN 6105-00-331-2181

Alternating Current Motor - Page 2 of 2



Connection Type And Voltage Rating In Volts:

120.0 line to neutral single input

Shaft End Characteristic:

A5 single style single end

Phase:

Single input

Frequency In Hertz:

400.0 input

Terminal Type And Quantity:

4 wire lead

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A271a0