NSN 6105-00-333-7604

Direct Current Motor - Page 1 of 2

Tempurature Rating:

-29.0 operating degrees celsius and 60.0 operating degrees celsius



View Online at https://aerobasegroup.com/nsn/6105-00-333-7604

Overall Height:
2.500 inches
Overall Length:
4.000 inches
Overall Width:
1.625 inches
Hole Diameter:
0.062 inches single end
Hole Depth:
0.187 inches single end
Shaft Diameter:
0.187 inches single end
Hole Center To Shaft End Distance:
0.062 inches single end
Maximum Operating Altitude Rating:
50000.0 feet
Shaft Rotation Direction:
Clockwise single end
Duty Cycle:
Intermittent
Inclosure Feature:
Explosion proof
Winding Type:
Shunt wound
Mounting Method:
Flange
Mounting Facility Type And Quantity:
4 unthreaded hole
Time Interval:
0.004 minutes on and 0.004 minutes off
Current Rating Method:
Load
Inclosure Specificationification:
Commercial
Features Provided:
Horizontal mounting position and vertical mounting position and frame electrically grounded and thermal protective device and current
feedback capability
Power Rating:
0.022 horsepower output
Length Of Shaft From Housing:
0.412 inches single end

NSN 6105-00-333-7604

Direct Current Motor - Page 2 of 2



Rotor Speed Rating In Rpm:
12000.0 single full load
Current Rating In Amps:
1.530 single input
Connection Type And Voltage Rating In Volts:
28.0 line to neutral single input
Shaft End Characteristic:
A13 single style single end
Terminal Type And Quantity:
1 solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

Fiig: A271a0