NSN 6105-00-403-7082

Control Motor - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/6105-00-403-7082 |
|---|
| Overall Length: |
| 2.580 inches |
| Overall Width: |
| 1.437 inches |
| Shaft Diameter: |
| 0.180 inches second end |
| Current Type: |
| Ac input |
| Teeth Quantity: |
| 15 second end |
| Inclosure Feature: |
| Totally enclosed |
| Mounting Method: |
| Clamp ring |
| Mounting Facility Type And Quantity: |
| 1 clamp collar |
| Cooling Method: |
| Nonventilated |
| Control Field Impedance Rating In Ohms: |
| 212.0 |
| Control Field Winding Type: |
| Single winding w/center tap |
| Full Tooth Length: |
| 0.250 inches second end |
| Torque Rating And Type: |
| 2.0 inch-ounces stalled |
| Inclosure Specificationification: |
| Commercial |
| Control Field Voltage Type And Rating In Volts: |
| 36.0 ac |
| Features Provided: |
| Horizontal mounting position |
| Length Of Shaft From Housing: |
| 0.440 inches second end |
| Rotor Speed Rating In Rpm: |

3200.0 single no load

Connection Type And Voltage Rating In Volts:

115.0 line to neutral single input

Shaft End Characteristic:

A17 single style second end

Phase:

Two input

NSN 6105-00-403-7082

Control Motor - Page 2 of 2



| 60.0 input |
|-----------------------------|
| Terminal Type And Quantity: |
| 5 wire lead |
| Shelf Life: |

Frequency In Hertz:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A271a0