NSN 6105-00-405-2342

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-405-2342

Overall Height:
12.750 inches
Overall Length:
16.000 inches
Overall Width:
13.125 inches
Hole Depth:
0.3440 inches single end
Shaft Diameter:
1.0625 inches single end
Tongue Thickness:
0.250 inches single end
Shaft Rotation Direction:
Clockwise single end or counterclockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
Explosion proof
Specific Use:
Pump
Winding Type:
Induction-squirrel cage
Tongue Length:
0.344 inches single end
Mounting Method:
Fixed base
Mounting Facility Type And Quantity:
4 unthreaded hole
Cooling Method:
Natural convection ventilated
Current Rating Method:
Load
Torque Rating And Type:
43.3 foot-pounds running and 37.5 foot-pounds stalled and 35.4 foot-pounds starting
Inclosure Specificationification:
Commercial
Bearing Type:
Annular ball
Features Provided:
Horizontal mounting position
Frame Size Designation:

215j

NSN 6105-00-405-2342

Yes - demil/mli

Fiig: A271a0

Alternating Current Motor - Page 2 of 2



Length Of Shaft From Housing: 0.000 inches single end **Shaft Center To Mounting Surface Distance:** 5.250 inches single end **Center To Center Distance Between Mounting Facilities Parallel To Length:** 7.000 inches **Tempurature Rating:** 40.0 operating degrees celsius and 35.0 ambient degrees celsius **Rotor Speed Rating In Rpm:** 1800.0 single no load and 1738.0 single full load **Center To Center Distance Between Mounting Facilities Parallel To Width:** 8.625 inches **Connection Type And Voltage Rating In Volts:** 220.0 line to neutral first multiple input or 440.0 line to neutral second multiple input **Shaft End Characteristic:** A7 first style single end and a18 second style single end Phase: Three input Frequency In Hertz: 60.0 input **Terminal Type And Quantity:** 6 solder lug Shelf Life: N/a **Unit Of Measure: Demilitarization:**