## NSN 6105-00-421-7731

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-421-7731

Overall Height:
12.750 inches
Overall Length:
18.187 inches
Overall Width:
9.500 inches
Thread Length:
0.7500 inches single end
Step Diameter:
0.6250 inches single end
Step Length:
3.4375 inches single end
Shaft Diameter:
0.625 inches single end and 0.750 inches single end
Shaft Rotation Direction:
Clockwise single end or counterclockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
Dripproof-15 deg
Winding Type:
Induction-squirrel cage
Mounting Method:
Face
Mounting Facility Type And Quantity:
4 threaded hole
Cooling Method:
Natural convection ventilated
Inclosure Specificationification:
Mil-std-108
Features Provided:
Vertical mounting position
Power Rating:
1.2500 horsepower output
Thread Size:
0.500 inches single end
Length Of Shaft From Housing:
7.187 inches single end
Tempurature Rating:
50.0 operating degrees celsius and 40.0 ambient degrees celsius
Mounting Facility Circle Diameter:

6.250 inches

## **NSN 6105-00-421-7731**Alternating Current Motor - Page 2 of 2



Rotor Speed Rating In Rpm:
3430.0 single full load
Connection Type And Voltage Rating In Volts:
440.0 line to neutral single input
Shaft End Characteristic:
A2 first style single end and a9 second style single end and a12 third style single end
Phase:
Three input
Frequency In Hertz:
60.0 input
Test Data Document:
31349-mil-m-1940 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Jnf single end
Terminal Type And Quantity:
3 solder lug
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
A271a0
Mil-std (military Standard):
Mil-std-108 spec.