NSN 6105-00-500-2179

Direct Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-500-2179

| Overall Height: |
|---|
| 51.000 inches |
| Overall Length: |
| 80.000 inches |
| Overall Width: |
| 58.000 inches |
| Keyway Width: |
| 1.0000 inches single end |
| Keyway Depth: |
| 0.7500 inches single end |
| Shaft Diameter: |
| 4.5000 inches single end |
| Shaft Rotation Direction: |
| Clockwise single end or counterclockwise single end |
| Duty Cycle: |
| Continuous |
| Inclosure Feature: |
| Dripproof protected-15 deg |
| Winding Type: |
| Compound wound |
| Mounting Method: |
| Fixed base |
| Mounting Facility Type And Quantity: |
| 6 unthreaded hole |
| Cooling Method: |
| Self-ventilated |
| Current Rating Method: |
| Load |
| Inclosure Specificationification: |
| Mil-std-108 |
| Features Provided: |
| Vertical mounting position |
| Frame Size Designation: |
| Db8154 |
| Power Rating: |
| 760.0000 horsepower output |
| Length Of Shaft From Housing: |
| 6.969 inches single end |
| Shaft Center To Mounting Surface Distance: |
| 9.000 inches single end |
| Tempurature Rating: |
| 60.0 ambient degrees celsius and 50.0 operating degrees celsius |

NSN 6105-00-500-2179

Direct Current Motor - Page 2 of 2



| Center | To Center | Distance | Between | Mounting | Facilities | Parallel | To Width: |
|--------|-----------|----------|---------|----------|------------|----------|-----------|
| 55.500 | inches | | | | | | |

Current Rating In Amps:

1090.000 single input

Connection Type And Voltage Rating In Volts:

550.0 line to neutral single input

Shaft End Characteristic:

A9 single style single end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A271a0

Mil-std (military Standard):

Mil-std-108 spec.