NSN 6105-00-500-4889

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-500-4889 **Overall Height:** 20.375 inches **Overall Length:** 39.640 inches **Overall Width:** 21.187 inches **Duty Cycle:** Continuous **Inclosure Feature:** Totally enclosed Specific Use: Fire and bilge pump Winding Type: Induction-squirrel cage **Mounting Method:** Fixed base **Mounting Facility Type And Quantity:** 4 unthreaded hole **Cooling Method:** Fan cooled **Current Rating Method:** Load **Inclosure Specificationification:** Mil-std-108 **Features Provided:** Horizontal mounting position **Power Rating:** 25.0000 horsepower output **Length Of Shaft From Housing:** 4.062 inches second end **Center To Center Distance Between Mounting Facilities Parallel To Length:**

12.250 inches

Tempurature Rating:

50.0 operating degrees celsius and 65.0 ambient degrees celsius

Rotor Speed Rating In Rpm:

3600.0 single no load and 3550.0 single full load

Center To Center Distance Between Mounting Facilities Parallel To Width:

7.000 inches

Current Rating In Amps:

31.000 single input

Connection Type And Voltage Rating In Volts:

440.0 line to neutral single input

NSN 6105-00-500-4889

Phase:

Mil-std-108 spec.

Alternating Current Motor - Page 2 of 2



Three input
Frequency In Hertz:
60.0 input
Test Data Document:
81349-mil-m-17060a specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A271a0
Mil-std (military Standard):