NSN 6105-00-538-2917

Motor-tachometer Generator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-538-2917 **Overall Width:** 2.040 inches **Shaft Diameter:** 0.1565 inches single end **Current Type:** Ac input **Inclosure Feature:** Totally enclosed **Mounting Method:** Clamp ring **Mounting Facility Type And Quantity:** 1 clamp collar **Excitor Type:** Separately excited **Calibration Speed In Rpm:** 1000.0 **Cooling Method:** Nonventilated **Calibration Voltage Output Type In Volts:** 6.0 ac **Torque Rating And Type:** 2.0 inch-ounces stalled **Inclosure Specificationification:** Mil-std-108 **Control Field Voltage Type And Rating In Volts:** 40.0 ac **Features Provided:** Vertical mounting position **Length Of Shaft From Housing:** 0.500 inches single end **Tempurature Rating:** -55.0 operating degrees celsius and 55.0 operating degrees celsius **Rotor Speed Rating In Rpm:** 3500.0 single no load **Connection Type And Voltage Rating In Volts:** 115.0 line to neutral single input **Shaft End Characteristic:** A1 single style single end

Phase: Single input Frequency In Hertz: 60.0 output

NSN 6105-00-538-2917

Motor-tachometer Generator - Page 2 of 2



Test Data Document:

10001-1287345 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal	Type	And	Quantity:
----------	------	-----	-----------

10 screw

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A271a0

Mil-std (military Standard):

Mil-std-108 spec.