## NSN 6105-00-548-2132

Direct Current Motor - Page 1 of 2



S
View Online at https://aerobasegroup.com/nsn/6105-00-548-2132
Overall Height:
21.250 inches
Overall Length:
46.250 inches
Overall Width:
21.250 inches
Keyway Width:
0.7500 inches single end
Keyway Depth:
0.2500 inches single end
Shaft Diameter:
2.1875 inches single end
Keyway Length:
3.0000 inches single end
Shaft Rotation Direction:
Counterclockwise single end
Duty Cycle:
Intermittent
Inclosure Feature:
Dripproof-15 deg
Winding Type:
Compound wound
Mounting Method:
Fixed base
Mounting Facility Type And Quantity:
4 unthreaded hole
Time Interval:
30.0 minutes on
Cooling Method:
Self-ventilated
Current Rating Method:
Load
Inclosure Specificationification:
Commercial
Features Provided:

Vertical mounting position

**Power Rating:** 

15.0000 horsepower output

**Length Of Shaft From Housing:** 

4.000 inches single end

## **Shaft Center To Mounting Surface Distance:**

10.750 inches single end

## **NSN 6105-00-548-2132**Direct Current Motor - Page 2 of 2

Fiig: A271a0



Center To Center Distance Between Mounting Facilities Parallel To Length:
14.000 inches
Tempurature Rating:
50.0 ambient degrees celsius and 40.0 operating degrees celsius
Rotor Speed Rating In Rpm:
440.0 single full load
Center To Center Distance Between Mounting Facilities Parallel To Width:
18.000 inches
Current Rating In Amps:
56.300 single input
Connection Type And Voltage Rating In Volts:
250.0 line to neutral single input
Shaft End Characteristic:
A9 single style single end
Special Features:
Two additional holes 0.969 in. Diameter for mtg purposes
Terminal Type And Quantity:
6 solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No