## NSN 6105-00-548-2484



Alternating Current Motor - Page 1 of 2	Group
View Online at https://aerobasegroup.com/nsn/6105-00-548-2484	
Overall Length:	
13.937 inches	
Overall Width:	
7.250 inches	
Thread Length:	
0.5938 inches single end	
Hole Diameter:	
0.1250 inches single end	
Hole Depth:	
0.3750 inches single end	
Step Length:	
2.1250 inches single end	
Keyway Width:	
0.1250 inches single end	
Keyway Depth:	
0.0625 inches single end	
Keyway Length:	
1.5000 inches single end	
Hole Center To Shaft End Distance:	
0.1250 inches single end	
Shaft Rotation Direction:	
Clockwise single end	
Duty Cycle:	
Continuous	
Inclosure Feature:	
Explosion proof	
Winding Type:	
Induction-split phase	
Mounting Method:	
Clamp ring	
Mounting Facility Type And Quantity:	
1 clamp collar	
Cooling Method:	
Fan cooled	

Inclosure Specificationification:

Mil-std-108

**Features Provided:** 

Horizontal mounting position

**Power Rating:** 

0.2000 horsepower output

Thread Size:

0.375 inches single end

## NSN 6105-00-548-2484

Mil-std (military Standard):

Mil-std-108 spec.

Alternating Current Motor - Page 2 of 2



Length Of Shaft From Housing:
3.812 inches single end
Tempurature Rating:
50.0 operating degrees celsius and 40.0 ambient degrees celsius
Rotor Speed Rating In Rpm:
1800.0 single no load and 1750.0 single full load
Connection Type And Voltage Rating In Volts:
115.0 line to neutral single input
Shaft End Characteristic:
A2 first style single end and a13 second style single end and a9 third style single end and a12 fourth style single end
Phase:
Single input
Frequency In Hertz:
60.0 input
Thread Series Designator:
Unf single end
Terminal Type And Quantity:
2 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
1074-0