NSN 6105-00-548-2570

Direct Current Motor - Page 1 of 2





Overall Length:

11.813 inches

Overall Width:

6.500 inches

Shaft Diameter:

0.7500 inches single end

Shaft Rotation Direction:

Clockwise single end

Duty Cycle:

Continuous

Inclosure Feature:

Watertight

Winding Type:

Compound wound

Mounting Method:

Clamp ring

Mounting Facility Type And Quantity:

1 clamp collar

Current Rating Method:

Load

Inclosure Specificationification:

Commercial

Features Provided:

Vertical mounting position

Power Rating:

0.1250 horsepower output

Thread Size:

0.500 inches single end

Length Of Shaft From Housing:

2.813 inches single end

Tempurature Rating:

40.0 ambient degrees celsius and 50.0 operating degrees celsius

Rotor Speed Rating In Rpm:

1725.0 single full load

Current Rating In Amps:

1.500 single input

Connection Type And Voltage Rating In Volts:

115.0 line to neutral single input

Shaft End Characteristic:

A2 first style single end and a12 second style single end and a13 third style single end

Thread Series Designator:

Unc single end

NSN 6105-00-548-2570

Direct Current Motor - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A271a0

