NSN 6105-00-575-5103

Alternating Current Motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6105-00-575-5103

| Overall Height: |
|-----------------------------------------------------------------------------------------------------|
| 6.625 inches |
| Overall Length: |
| 8.812 inches |
| Overall Width: |
| 6.500 inches |
| Shaft Diameter: |
| 0.5000 inches single end |
| Shaft Rotation Direction: |
| Clockwise single end or counterclockwise single end |
| Duty Cycle: |
| Continuous |
| Inclosure Feature: |
| Splash proof |
| Winding Type: |
| Induction-squirrel cage |
| Mounting Method: |
| Fixed base |
| Mounting Facility Type And Quantity: |
| 4 threaded hole |
| Cooling Method: |
| Nonventilated |
| Inclosure Specificationification: |
| Mil-std-108 |
| Features Provided: |
| Horizontal mounting position and vertical mounting position |
| Power Rating: |
| 0.5000 horsepower output |
| Length Of Shaft From Housing: |
| 2.750 inches single end |
| Shaft Center To Mounting Surface Distance: |
| 3.375 inches single end |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.625 inches |
| Tempurature Rating: |
| -54.0 operating degrees celsius and 85.0 operating degrees celsius and 50.0 ambient degrees celsius |
| Rotor Speed Rating In Rpm: |
| 3350.0 single full load |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 3.125 inches |

Connection Type And Voltage Rating In Volts:

208.0 line to neutral first multiple input or 440.0 line to neutral second multiple input

NSN 6105-00-575-5103

Alternating Current Motor - Page 2 of 2



| ~ : | | • | | |
|------------|-----|-------|-------|-------|
| Shott | -nd | Chara | actor | ICTIC |
| | | | | |

A5 single style single end

Phase:

Three input

Frequency In Hertz:

50.0 input or 60.0 input

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A271a0

Mil-std (military Standard):

Mil-std-108 spec.